

OVERVIEW

Compaq Internet Express for *Tru64™* UNIX is a collection of popular Internet software and administration software developed by Compaq. Internet Express is shipped with all *Tru64™* UNIX *AlphaServers™*, or it can be purchased separately.

Internet Express provides the following features and benefits:

- A collection of Open Source Internet software (binaries and sources), tested and qualified on Tru64™ UNIX
- Automatic installation and configuration of Internet software
- All services configured to run on *TruCluster™* Server, providing a true high availability environment
- Web-based Administration utility, with online help, to manage Internet services and tune kernel attributes for Internet service performance
- IPv6 support in some components: UW-IMAP, Pine (IMAP client), POP3, procmail, sendmail, TCP wrapper, IRC (chat client and server), and Apache 2.0 EAK

Internet software packaged with Internet Express:

- iPlanet Directory Server and the iPlanet LDAP Software Developer's Kit (SDK) Version 4.0 for C for developing LDAP applications
- Internet Monitor, a Compaq developed Quality of Service (QoS) tool. System administrators can use the Internet Monitor to monitor the performance of Internet servers
- Compaq Secure Web Server (*powered by Apache*)
- XML and Web Services Tools (Xerces, Xalan, SOAP, UDDI4J, Cocoon, FOP)
- Samba File and Print Server for Windows
- Security (TCP Wrapper) and authentication (Interlink Networks AAA Basic RADIUS Server – binaries only), and tools to help keep your system from being attacked or exploited in a denial of service attack
- Mail servers (sendmail, IMAP-4, POP3) and clients (Pine)
- Mailing list management (Majordomo)
- Mail filtering (procmail)
- News server (InterNetNews)
- Chat server (Internet Relay Chat)
- Proxy/caching server (Squid) with log file analyzer (calamaris)
- SOCKS proxy server (Dante)
- Streaming Media Server (Darwin)
- Directory Server (OpenLDAP)
- Web-based mail reader (Horde IMP)
- Web indexing and search system (ht://Dig)
- Service Location Protocol (SLP) server (OpenSLP)
- Tools for providing dynamic Web content (Perl, PHP, Jakarta Tomcat, and XML tools)
- Database Management System (PostgreSQL)
- Web browser for character-cell terminals (Lynx)
- FireScreen, a basic firewall

OVERVIEW *(continued)*

Administration software included with Internet Express Version 5.8:

- Internet Express installation procedures using a terminal command-line or Web browser interface
- Internet Express Administration utility (installed on port 8081), which allows you to perform the following tasks:
 - Register Internet Express on-line with Compaq
 - Configure and control Open Source Internet software packaged with Internet Express, including adding and removing components
 - Configure and control the Internet Monitor
 - Add captive and system user accounts, and assign users' mail delivery
 - Configure the LDAP module for system authentication
 - Manage printers and print queues
 - Reboot the system
 - Tune kernel attributes to improve performance of Internet services
 - Configure your system as a firewall. (A command-line script is also provided.)

Evaluation software included with Internet Express Version 5.8:

- Instant ASP (iASP) from Halcyon Software
- Advanced AAA RADIUS Server from Interlink Networks
- Apache 2.0.16 Early Adopters Kit
- Tripwire for Servers
- Communicate Pro messaging server software from Stalker, Inc.

ADMINISTRATIVE FUNCTIONS

You can access the Internet Express Administration utility through a graphical Web browser. (**NOTE:** Certain features of the Administration utility and the installation procedure require your browser to be JavaScript enabled.) Links to the *Internet Express for Tru64 UNIX Administration Guide* (in HTML format) provide online help. The guide contains links to Web sites for each Open Source software component packaged with Internet Express and Web sites at Compaq that may interest Internet server administrators.

The Internet Express Administration utility allows a system administrator to easily perform the following component and system management tasks using a Web browser:

Manage Users

- Add or remove user accounts, individually or based on group assignment
- Modify the attributes of existing user accounts, including mail delivery
- Display information for all users or a specific set of users
- Change the password for a user or automatically generate passwords for a user or group of users
- Enable and configure User Self-Administration (Delegated Administration)

Manage Components

- Configure, manage, and test security for Internet components
- Add or remove Internet components from your system
- Install and configure FireScreen
- Configure the Compaq Secure Web Server
- Configure the iPlanet Directory Server
- Configure the OpenLDAP Directory Server
- Configure the Darwin Streaming Media Server
- Configure and manage World Wide Web (WWW) and administration servers
- Configure and manage the Internet Monitor
- Configure and control mail servers and the IMP Web-based mail reader
- Establish an anonymous FTP account, and configure the FTP server
- Configure the Samba File and Print Server for Windows
- Configure the Microsoft FrontPage 2000 Server Extensions
- Manage the Squid Proxy/Caching Server
- Configure and manage an InterNetNews (INN) server
- Create and delete Majordomo mailing lists on a local system, and modify list parameters
- Configure the LDAP module for system authentication
- Tune the kernel for Internet services

END-USER FUNCTIONS

Internet Express captive accounts created with the Internet Express Administration utility provide access to a menu that offers several common applications, including the ability to:

- Use the Pine mail client
- Access the INN newsgroups
- Use the Lynx Web browser
- Define or change passwords for captive accounts
- Access the online *Internet Services User's Guide*, which describes these captive account capabilities

NOTE: Publicly accessible media like the Internet present a security risk if suitable precautions are not taken to ensure and enforce security.

INSTALLATION

Internet Express includes an installation procedure that simplifies the steps required to install and start up the Internet Express Administration utility and other Internet services on Tru64™ UNIX systems. The installer can choose either a Web browser or command-line interface. The Internet Express installation procedure prompts the installer for site-specific information, allows the installer to tune kernel subsystem attributes to improve performance, configures the system, and installs requested subsets. All subsets are optional, although some subsets depend on others.

All the selected Open Source Internet and administration software components included with the product are configured and available for use when the installation is complete. You can install Internet Express using a command-line script interface or a Web browser interface. When you run the installation procedure using a Web browser, links to the *Internet Express for Tru64 UNIX Installation Guide* (in HTML format) provide online help.

The installation procedure will update previous versions of *Internet Express*, preserving configurations and user data. Update installation from Internet Express Version 5.6 or Version 5.7 to Internet Express Version 5.8 is supported.

Please read the online *Internet Express for Tru64 UNIX Read This First* and *Release Notes* documents before installing the software. You can access these documents from the index.htm file on the Internet Express for Tru64 UNIX Installation and Documentation CD-ROM.

INTERNET MONITOR

Internet Express includes a Compaq developed Quality of Service (QoS) tool, the Internet Monitor. System Administrators can use the Internet Monitor to monitor the performance of Internet servers. They can use the information collected by the Internet Monitor to make changes to their system and network configurations to improve performance of a particular Internet server. Administrators and end users can use the historical information collected by the Internet monitor to check conformance of Service Level Agreements (SLAs).

The Internet Monitor is capable of monitoring the following Internet services:

- HTTP and HTTPS
- FTP
- NNTP
- SMTP
- POP
- IMAP
- LDAP
- DNS
- RADIUS
- Network connections to arbitrary ports

The Internet Monitor provides the following features:

- Allows administrators to monitor the performance of Internet services running anywhere on the network
- Data collection agents placed anywhere on the network poll Internet services and report performance data to the data collection server
- Graphically monitors the performance of Internet services from the same perspective as an actual user of those services
- Can generate alerts or cause other automated actions to be performed when administrator-defined performance thresholds are crossed
- Collects and archives performance data and generates historical performance reports and graphs
- May be used as the basis for ensuring conformance to Service Level Agreements (SLAs)
- Provides a Web-based administration utility for configuring the Internet Monitor.

DIRECTORY SERVERS

The iPlanet Directory Server Version 4.15 is packaged with Internet Express. The Lightweight Directory Access Protocol (LDAP) is an Internet standard directory service protocol that runs over TCP/IP. It can be used to provide a standalone directory service or to provide lightweight access to an X.500 directory.

The iPlanet Directory Server provided with Internet Express is licensed for use with the *Tru64™* UNIX Operating System. The iPlanet Directory Server may be used as a general-purpose corporate directory or as the primary directory for products other than those distributed with Internet Express or the *Tru64™* UNIX Operating System. The only limitation is that it may be used for up to 200,000 entries in the Directory Server.

The OpenLDAP Directory Server is also included.

LDAP MODULE FOR SYSTEM AUTHENTICATION

The LDAP Module for System Authentication allows user identification and authentication information stored in an LDAP server to be used for all applications, including the following:

- Login authentication (rlogin, ftp, and telnet)
- POP and IMAP authentication
- Transparent LDAP database access for the `getpw*()` and `getgr*()` routines in the `libc` library

The iPlanet Directory Server or OpenLDAP Directory Server provided with Internet Express is automatically configured for use with the LDAP Module for System Authentication. The LDAP Module for System Authentication subset includes tools designed to query the LDAP server for user and group information based on a standard POSIX schema. You can choose the LDAP Module for System Authentication as an option during installation.

WEB SERVER

Internet Express includes the Compaq Secure Web Server powered by Apache software developed by the Apache Software Foundation (<http://www.apache.org/>). The Compaq Secure Web Server lets users create and manage a Web site on the Internet or Intranet.

The Compaq Secure Web Server includes SSL (Secure Socket Layer) capability that allows secure encrypted connections to Web browsers.

The Web Server also includes:

- PHP Hypertext Preprocessor module, a server-side, cross-platform HTML embedded scripting language that allows you to design dynamic Web pages
- Jakarta Tomcat servlet module that allows the Web server to execute Java servlets in response to browser requests
- Fast CGI, an open extension to CGI that provides high performance without the limitations of server-specific APIs
- `auth_ldap` LDAP authentication module
- Optional Microsoft FrontPage2000 Server Extensions
- Analog, a tool for analyzing log files

A Compaq-developed Web-based administration utility for managing the Secure Web Server is also included.

NETWORK SECURITY

TCP Wrapper provides enhanced Internet security by letting the system administrator control access to certain Internet services, including telnet, FTP, remote shell, rlogin, remote execute, fingerd, talk, POP-2, POP-3, IMAP, or any other service started by the `inetd` daemon.

The Interlink Networks AAA Basic RADIUS Server supports standard Remote Authentication Dial In User Service (RADIUS) authorization. This server extends standard RADIUS authentication to a distributed authentication and authorization scheme. This server also functions as a proxy server that relays authentication and authorization requests to other RADIUS servers and receives and relays the responses.

Tools to configure network ingress and egress filtering are included, as well as tools to help prevent your system from being attacked or exploited in certain denial of service (DoS) attacks.

The Security and Network Analyzer Tool (SATAN) is also provided in the `source-tar/` directory.

NEWS SERVICE

The InterNetNews Server (INN) and TIN news reader provide tools to manage newsgroup services, including connections to external newsgroups and newsgroup configurations, and control of client access to newsgroups.

PROXY SERVERS

The Squid Proxy/Caching Server allows the user's system to intelligently cache Web pages in a central location for quick and easy retrieval. The `calamaris` log file analyzer for Squid is also included.

Secure Computing's SmartFilter plug-in for Squid Proxy Server is included. SmartFilter is specialized URL (Universal Resource Locator) filtering software that administrators can configure inside their network to control access to external Internet resources. SmartFilter allows administrators to restrict access to World Wide Web pages, Newsgroups, and FTP sites. For more information about SmartFilter and how to obtain a subscription for the SmartFilter Control List, see www.smartfilter.com.

The Dante SOCKS Proxy Server is included.

MAIL SERVERS

UW-IMAP, Qualcomm popper (POP-2 and POP-3), Cyrus IMAP, and sendmail servers offer secure, standards-based e-mail capability.

Majordomo automates the creation and maintenance of mailing lists.

Procmail allows users or administrators to create customized mail filters.

MAIL CLIENTS

The Horde IMP (Internet Mail Program) Web-based IMAP mail client allows users to access their IMAP mail folders using any graphical Web browser. The Internet Express Administration utility can be used to configure IMP.

The Pine mail client and Pico editor are also provided.

CHAT SERVER AND CLIENT

The Internet Relay Chat Server allows users to communicate with each other, in real time, across a network of Internet servers.

FTP SERVER

Washington University File Transfer Protocol (FTP) Server (wu-ftp) is provided with Internet Express.

FILE AND PRINT SERVER

The Samba File and Print Server for Windows is an open source software suite that provides seamless file and print services to SMB/CIFS (for example, Microsoft Windows) clients.

DATABASE MANAGEMENT SYSTEM

PostgreSQL Relational Database Management System is included.

STREAMING MEDIA

The Darwin Streaming Server is included.

WEB SERVICES TOOLS

The following tools for providing Web Services and dynamic Web content are provided with Internet Express:

- Hit://Dig Web indexing and search system
- Perl
- PHP
- Tomcat Java Servlet engine from the Apache Jakarta Project
- XML and Web Services Tools
 - SOAP Server
 - UDDI4J (UDDI Client Libraries in Java)
 - Xerces XML parsers for C++ and Java
 - Xalan Stylesheet processors for C++ and Java
 - Cocoon Web Publishing Framework
 - FOP Print Formatter

SERVICE LOCATION PROTOCOL

The Service Location Protocol (SLP) provides client/server applications with the means to discover and select system services on the network. Internet Express provides the OpenSLP server and Application Program Interfaces (APIs) based on the SLP Version 2 standard.

SOURCE CODE INFORMATION

Source code is included for all the Internet Express open source software on the binary kit except for Open_ssl and Apache mod_ssl sources, which are not included due to export restrictions.

HARDWARE REQUIREMENTS

Internet Express can run on any valid *Tru64™ UNIX AlphaServer™* system having the minimum system configuration as described in the *Tru64™ UNIX Operating System QuickSpecs*. The actual amount of work supported at one time, with good performance, depends on the types of processing performed as well as the physical memory and secondary storage available.

Platforms and Processors Not Supported

Internet Express does not support *OpenVMS™*, Windows NT, or any other hardware configurations outside of the *Tru64™ UNIX* hardware configurations.

Other Hardware Required

You need a network card to access the Internet.

HARDWARE REQUIREMENTS *(continued)*

Video Display Support

Internet Express supports a wide variety of display devices, including character cell terminals and X Window System display devices, Microsoft Windows client desktops, and Macintosh client desktops.

Memory Requirements

Internet Express requires a minimum of 128 MB of memory. Additional memory may also be required based on system loading.

Disk Space Requirements

Maximum required /usr file system disk space is approximately 500 MB for a full installation of all components (includes 121 MB for iPlanet Directory Server Version 4.15)

NOTE: This count refers to the disk space required on the system disk. The sizes are approximate; actual sizes may vary depending on the user's system environment, configuration, and software options. Additional disk space on other file systems will be required to create or expand component databases or create user files as components are used. A typical installation will include only selected components.

SOFTWARE REQUIREMENTS

Internet Express requires Tru64™ UNIX Version 5.0A or higher.

Java Development Kit (JDK) V1.2.2 or higher is required for the Internet Monitor, SOAP, and UDDI4J.

Some Internet Express components may require the use of other Internet Express components.

See the *Installation Guide*, available on line in HTML, PDF, and PostScript format, for more information.

NETWORK SUPPORT

Internet Express supports a variety of network protocols, topologies, and hardware interconnects, including TCP/IP as specified by the Tru64™ UNIX QuickSpecs.

For additional information about supported features, hardware models and revision levels, and required or optional software, see the Software Product Description or QuickSpecs for the product in question.

SOFTWARE LICENSING

Only the Internet Express Administration utility, FireScreen, LDAP Module for System Authentication, and the Internet Monitor are furnished under a license from Compaq Computer Corporation. Tru64™ UNIX is licensed by Compaq Computer Corporation.

The iPlanet Directory Server provided with Internet Express is licensed for use with the Tru64™ UNIX Operating System. The iPlanet Directory Server may be used as a general-purpose corporate directory or as the primary directory for products other than those distributed with Internet Express or the Tru64™ UNIX Operating System. The only limitation is that it may be used for up to 200,000 entries in the Directory Server.

All Open Source software included with Internet Express is licensed by the developers of the individual products. For more information on the licenses for these Open Source third-party products, please see the Software Description and Licensing Terms document included on the Internet Express Installation and Documentation CD-ROM.

For more information about Compaq licensing terms and policies, contact a local Compaq office or distributor.

NOTE: Open Source Software included in Internet Express is available for use under the terms and conditions of the original authors. Open Source software is provided "as is." Compaq Computer Corporation disclaims all warranties with regard to Open Source software, including all implied warranties of merchantability and fitness.

In no event shall Compaq Computer Corporation be liable for any special, direct, indirect, or consequential damages or any damages whatsoever resulting from loss of use, data, or profits, whether in an action of contract, negligence, or other tortious action, arising out of or in connection with the use or performance of public software.

GROWTH CONSIDERATIONS

The minimum hardware and software requirements for any future version of this product may be different from the requirements for the current version.

DISTRIBUTION MEDIA AND DOCUMENTATION

Distribution media and documentation for Internet Express is distributed on two CD-ROMs. You can print the electronic documentation accompanying the software as reasonably necessary to exercise your license to use the software.

ORDERING INFORMATION

Internet Express is included with all *AlphaServers*™ that ship with the *Tru64*™ UNIX Operating System. Internet Express may also be purchased separately by ordering the following:

Software License/Media/Documentation: QB-3NCAA-SA

QB-3NCAA-SA contains the Internet Express License and Internet Express CD-ROMs, which contain the Internet Express software, sources, online documentation, and evaluation software.

SOFTWARE PRODUCT SERVICES

The following services are available for Internet Express for Tru64 UNIX:

QT-3NCAA-XA – Packages Services (Includes new versions of the licensed software and an updated software license agreement for the new versions)

QT-3NCAA-TA – New Version License Subscription Service (Includes only an updated software license agreement for the new versions; however, this service does not include media and documentation)

For more information, on these services and how to obtain them, customers within the United States should call 1-800-COMPAQ. All others should contact their local Compaq Sales Representative.

SOFTWARE WARRANTY

Warranty for Compaq developed software is provided by Compaq with the purchase of a license for the product as defined in the applicable Compaq Standard Terms and Conditions.

Open Source software is provided “as is.” Compaq disclaims all warranties with regard to Open Source software, including all implied warranties of merchantability and fitness.

In no event shall Compaq be liable for any special, direct, indirect, or consequential damages or any damages whatsoever resulting from loss of use, data, or profits, whether in an action of contract, negligence, or other tortious action, arising out of or in connection with the use or performance of Open Source software.

This information is valid at time of release. Please contact your local Compaq office or distributor for the most up-to-date information.

© 2002 Compaq Information Technologies Group, L.P.

Compaq, the Compaq logo, AlphaServer, OpenVMS, Tru64, and TruCluster are trademarks of Compaq Information Technologies Group, L.P. in the U.S. and/or other countries. Microsoft, FrontPage, Windows, and Windows NT are trademarks of Microsoft Corporation in the U.S. and/or other countries. UNIX and The Open Group are trademarks of The Open Group in the U.S. and/or other countries. All other product names mentioned herein may be the trademarks of their respective companies.

Confidential computer software. Valid license from Compaq required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Compaq shall not be liable for technical or editorial errors or omissions contained herein. The information is provided “as is” without warranty of any kind and is subject to change without notice. The warranties for Compaq products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.